

1 **Amendment to the Claims**

2 In the Claims:

3 Please amend Claims 1, 6, 11, 13, 17, 20, 21, and 22 as follows:

4 1. (Currently Amended) A method for reformatting a previously formatted electronic
5 document comprising a plurality of discrete portions of text using a computing device, the method
6 comprising the steps of:

7 receiving user-selections of a color set and a font set;

8 determining a format set based on the user selections of the color set and the font set, the
9 format set comprising a plurality of formats, each format comprising a format font name, a format
10 font color and a format font size; and

11 for each discrete portion of text in the electronic document:

12 analyzing the discrete portion of text to determine a text font name, a text font color
13 and a text font size,

14 for each format in the format set:

15 if the format font name matches the text font name, adding a first determined
16 number to a match quality value associated with the format,

17 if the format font color matches the text font color, adding a second
18 determined number to the match quality value,

19 if the format font size is greater than the text font size, multiplying the ratio
20 of the text font size to the format font size by a third determined number to determine a first
21 product and adding the first product to the match quality value, and

22 if the format font size is not greater than the text font size, multiplying the ratio
23 of the format font size to the text font size by the third determined number to determine a second
24 product and adding the second product to the match quality value, and

25 reformatting the discrete portion of text such that the format having the greatest
26 associated match quality value is applied to the discrete portion of text.

27 2. (Original) A computer readable medium having stored thereon computer executable
28 instructions for performing the method of claim 1.

29 3. (Original) The method of claim 1, wherein the step of analyzing the discrete portion of
30 text further comprises the step of:

1 if other formatting properties of the text have been analyzed and another property matches a
2 corresponding property of the text, adding a determined number to the match quality value.

3 4. (Original) The method of claim 1, wherein the color set comprises a plurality of colors
4 defining a color scheme.

5 5. (Original) The method of claim 4, wherein the colors are pre-selected by a trained
6 designer.

7 6. (Currently Amended) The method of ~~claim 1~~, claim 1, wherein the font set comprises a
8 plurality of fonts defining a font theme, each font having a font name and a font size.

9 7. (Original) The method of claim 6, wherein the fonts are predefined by a trained designer
10 based on their aesthetic appeal in relation to each other.

11 8. (Original) The method of claim 1, wherein the user selections of the color set and the font
12 set are provided through a single integrated user interface.

13 9. (Original) The method of claim 8, wherein the user interface includes a preview window
14 for displaying a color sample and a text sample from the format set, the color sample comprising
15 various colors included in the color set and the text sample comprising several portions of text that
16 are formatted according to the font set.

17 10. (Original) A computer readable medium having stored thereon computer executable
18 instructions for performing the method of claim 9.

19 11. (Currently Amended) The method of claim 8, wherein the user interface comprises a
20 floating window that hovers above the electronic document.

21 12. (Original) A computer readable medium having stored thereon computer executable
22 instructions for performing the method of claim 11.

23 13. (Currently Amended) A system for reformatting a previously formatted electronic
24 document comprising a plurality of discrete portions of text, the system comprising:

25 a display device for displaying the previously formatted electronic document and a user
26 interface for selection of a selected color set and a selected font set;

27 a memory for storing a plurality of color sets and a plurality of font sets;

28 an input device for generating commands corresponding to selection of the selected color set
29 and the selected font set;

30 a processor in communication with the display device, the memory and the input device for

1 receiving the commands and determining a format set based on the selected color set and the selected
2 font set, the format set comprising a plurality of formats, each format comprising a format font name,
3 a format font color and a format font size; and

4 for each discrete portion of text in the electronic document the processor further operable for:
5 analyzing the discrete portion of text to determine a text font name, a text font, color
6 and a text font size,

7 for each format in the format set:

8 if the format font name matches the text font name, adding a first determined
9 number to a match quality value associated with the format,

10 if the format font color matches the text font color, adding a second determined
11 number to the match quality value,

12 if the format font size is greater than the text font size, multiplying the ratio of
13 the text font size to the format font size by a third determined number to determine a first product and
14 adding the first product to the match quality value, and

15 if the format font size is not greater than the text font size, multiplying the ratio
16 of the format font size to the text font size by the third determined number to determine a second
17 product and adding the second product to the match quality value,

18 if every other formatting property of the text, the property matches the
19 corresponding property of the text, adding a determined number to the match quality value, and

20 reformatting the discrete portion of text for display on the display device, such that the
21 format having the greatest associated match quality value is applied to the discrete portion of text.

22 14. (Original) The method of claim 13, wherein the step of analyzing the discrete portion of
23 text further comprises the step of:

24 if other formatting properties of the text have been analyzed and another property matches a
25 corresponding property of the text, adding a determined number to the match quality value.

26 15. (Original) The system of claim 13, wherein the color set comprises a plurality of colors
27 defining a color scheme.

28 16. (Original) The system of claim 15, wherein the colors are pre-selected by a trained
29 designer.

30 17. (Currently Amended) The system of ~~claim 13~~, claim 13, wherein the font set comprises

1 a plurality of fonts defining a font theme, each font having a font name and a font size.

2 18. (Original) The system of claim 17, wherein the fonts are predefined by a trained designer
3 based on their aesthetic appeal in relation to each other.

4 19. (Original) The system of claim 13, wherein the user interface includes a preview window
5 for displaying a color sample and a text sample from the format set, the color sample comprising
6 various colors included in the color set and the text sample comprising several portions of text that
7 are formatted according to the font set.

8 20. (Currently Amended) The system of claim 13, wherein the user interface comprises a
9 floating window that hovers above the electronic document.

10 21. (Currently Amended) A user interface for reformatting a previously formatted electronic
11 document comprising a plurality of discrete portions of text with a computing device, the user
12 interface comprising:

13 a first control for selection of a color set;

14 a second control for selection of a font set;

15 a preview window for displaying a plurality of text samples formatted according to a format
16 set defined by the selected color set and the selected font set, the format set comprising a plurality of
17 formats, each format comprising a format font name, a format font color and a format font size; and

18 a third control for applying the format set to the electronic document according to the method
19 comprising:

20 for each discrete portion of text in the electronic document:

21 analyzing the discrete portion of text to determine a text font name, a text font,
22 color and a text font size,

23 for each format in the format set:

24 if the format font name matches the text font name, adding a first
25 determined number to a match quality value associated with the format,

26 if the format font color matches the text font color, adding a second
27 determined number to the match quality value,

28 if the format font size is greater than the text font size, multiplying the
29 ratio of the text font size to the format font size by a third determined number to determine a first
30 product and adding the first product to the match quality value, and

1 if the format font size is not greater than the text font size, multiplying
2 the ratio of the format font size to the text font size by the third determined number to determine a
3 second product and adding the second product to the match quality value,

4 if every other formatting property of the text, the property matches the
5 corresponding property of the text, adding a determined number to the match quality value, and
6 reformatting the discrete portion of text, such that the format having the greatest
7 associated match quality value is applied to the discrete portion of text.

8 22. (Currently Amended) The user interface of claim 21, further comprising a fourth control
9 for undoing the step of applying the format set to the electronic document.